




Model Number 685A39	<h1>LINEAR ADJUST MECHANICAL VIBRATION SWITCH</h1>		Revision: NR ECN #: 43636						
Performance Measurement Range Frequency Range Relay Relay(Contacts)(DPDT) Control Interface Reset Function Remote Reset Environmental Temperature Range(Operating) Enclosure Rating Physical Size (Width x Height x Depth) Weight Sensing Element Housing Material Electrical Connector Screw Terminal Wire Size Cable Input Mounting Hole Size Sensing Geometry <i>All specifications are at room temperature unless otherwise specified. In the interest of constant product improvement, we reserve the right to change specifications without notice.</i>	<u>ENGLISH</u> 7 g pk 0 to 6000 cpm 3A Form C 480 VAC Normally Open / Closed Momentary Pushbutton Switch 240 VAC -13 to 140 °F IP66 4.35 in x 3.30 in x 4.35 in 2.75 lb Magnet Aluminum Alloy Screw Terminals 24-14 AWG 3/4-14 NPT 0.25 in Inertial Element	<u>SI</u> 68.7 m/s ² pk 0 to 100 Hz 3A Form C 480 VAC Normally Open / Closed Momentary Pushbutton Switch 240 VAC -25 to 60 °C IP66 110.5 mm x 83.8 mm x 110.5 mm 1251 gm Magnet Aluminum Alloy Screw Terminals 0.2 - 2.5 mm ² 3/4-14 NPT 6.4 mm Inertial Element	OPTIONAL VERSIONS Optional versions have identical specifications and accessories as listed for the standard model except where noted below. More than one option may be used.						
<hr/>									
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Entered: AP</td> <td style="width: 15%;">Engineer: LAB</td> <td style="width: 15%;">Sales: HJB</td> <td style="width: 15%;">Approved: NJF</td> <td style="width: 40%;">Spec Number:</td> </tr> </table>					Entered: AP	Engineer: LAB	Sales: HJB	Approved: NJF	Spec Number:
Entered: AP	Engineer: LAB	Sales: HJB	Approved: NJF	Spec Number:					
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Date: 12/17/2014</td> <td style="width: 15%;">Date: 12/17/2014</td> <td style="width: 15%;">Date: 12/17/2014</td> <td style="width: 15%;">Date: 12/17/2014</td> <td style="width: 40%; text-align: center;">60553</td> </tr> </table>					Date: 12/17/2014	Date: 12/17/2014	Date: 12/17/2014	Date: 12/17/2014	60553
Date: 12/17/2014	Date: 12/17/2014	Date: 12/17/2014	Date: 12/17/2014	60553					
<table style="width: 100%;"> <tr> <td style="width: 60%; text-align: center;">  IMI SENSORS A PCB PIEZOTRONICS DIV. 3425 Walden Avenue, Depew, NY 14043 </td> <td style="width: 40%; text-align: center;"> Phone: 800-959-4464 Fax: 716-684-3823 E-Mail: imi@pcb.com </td> </tr> </table>					 IMI SENSORS A PCB PIEZOTRONICS DIV. 3425 Walden Avenue, Depew, NY 14043	Phone: 800-959-4464 Fax: 716-684-3823 E-Mail: imi@pcb.com			
 IMI SENSORS A PCB PIEZOTRONICS DIV. 3425 Walden Avenue, Depew, NY 14043	Phone: 800-959-4464 Fax: 716-684-3823 E-Mail: imi@pcb.com								